PEROTIMES





FALL- WINTER 2017, SERIES II, ISSUE 4

THE NEWSLETTER OF THE PEROMYSCUS GENETIC STOCK CENTER

Editorial

Dear Peromyscus users,

Welcome to the latest issue of *Perotimes*, the newsletter of the Peromyscus Genetic Stock Center.

This has been an exciting year for the PGSC.

Funding-wise, new RAPID grant from the NSF will support the Center's operation until 2018 while a major NSF EPSCoR grant will support Peromyscus research at USC. In addition, this grant will assist in the hiring of at least 2 junior faculty members at USC that focus on Peromyscusrelated research. The increased interest in research involving Peromyscus is illustrated by the increased number and quality of publications using these animals.

During this last year the

Center started offering histopathological services by establishing collaboration with Dr. Ioulia Chatzistamou, MD, PhD, pathologist. This service complements ongoing efforts to assist Peromyscus users in designing and performing specific studies using the facilities and personnel of the PGSC.

Although financially the operation of the Center fortunately is not in danger, a moderate increase in the animals' cost is deemed necessary. This is to allow us the maintenance of higher number of animals, beyond the number required to maintain the colonies, to ensure the genetic diversity of our stocks.

As mentioned earlier, at the end of this coming May, most likely on May 30-31, the PGSC will host the first Peromyscus Symposium. Details will follow during January.

The PGSC also welcomed a new member in its Scientific Advisory Spyros-Artavanis Board, Professor Tsakonas Harvard from Medical School. Dr. Artavanis is a world renowned biomedical scientist with from experience that ranges developmental biology and genetics to biology and experimental medicine. He has worked extensively with model organisms such as flies and mice and with his experience he will help the Center advance at the next level!


Finally, in concluding this introduction and in view of the pending decisions about the budget for the major research agencies and the allocation of the funds to specific research areas we remain strong advocates for basic research.

Hippokratis Kiaris

PGSC Director

Histopathology services

The PGSC recently initiated collaboration with anatomic pathologist Dr. Ioulia Chatzistamou, MD, PhD Clinical Assistant Professor, at the USC School of Medicine. Ioulia has more than 20 years of experience in clinical and experimental pathology in human and rodent tissues. She received training at the University of Athens (Greece) and in the USA at Tulane University, New Orleans and Mass General Hospital, Boston. Through the PGSC she will provide histopathological evaluation of rodent tissues, including those from PGSC animals.



FROM THE RECENT LITERATURE

- 1. Delaney EK, Hoekstra HE. Sexual imprinting and speciation in two Peromyscus species. Evolution. 2017 Dec 12. doi: 10.1111/evo.13409.
- 2. Wolmarans W, Scheepers IM, Stein DJ, Harvey BH. Peromyscus maniculatus bairdii as a naturalistic mammalian model of obsessive-compulsive disorder: current status and future challenges. Metab Brain Dis. 2017 Dec 6. doi: 10.1007/s11011-017-0161-7.
- 3. Metz HC, Bedford NL, Pan YL, Hoekstra HE. Evolution and Genetics of Precocious Burrowing Behavior in Peromyscus Mice. Curr Biol. 2017 Dec 18;27(24):3837-3845.e3. doi: 10.1016/j.cub.2017.10.061. Epub 2017 Nov 30. PMID: 29199077
- 4. Nikel KE, Shanishchara NK, Ivy CM, Dawson NJ, Scott GR. Effects of hypoxia at different life stages on locomotory muscle phenotype in deer mice native to high altitudes. Comp Biochem Physiol B Biochem Mol Biol. 2017 Nov 22. pii: S1096-4959(17)30182-3. doi: 10.1016/j.cbpb.2017.11.009.
- 5. Zhao M, Garland T Jr, Chappell MA, Andrew JR, Harris BN, Saltzman W. Effects of a physical and energetic challenge on male California mice (<i>Peromyscus californicus</i>): modulation by reproductive condition. J Exp Biol. 2017 Nov 23. pii: jeb.168559. doi: 10.1242/jeb.168559.

- 6. Rendón-Lugo AN, Santiago P, Puente-Lee I, León-Paniagua L. Permeability of hair to cadmium, copper and lead in five species of terrestrial mammals and implications in biomonitoring. Environ Monit Assess. 2017 Nov 18;189(12):640. doi: 10.1007/s10661-017-6338-z.
- 7. Mlera L, Meade-White K, Dahlstrom E, Baur R, Kanakabandi K, Virtaneva K, Porcella SF, Bloom ME. Peromyscus leucopus mouse brain transcriptome response to Powassan virus infection. J Neurovirol. 2017 Nov 16. doi: 10.1007/s13365-017-0596-y.
- 8. Rubio AV, Castro-Arellano I, Mills JN, List R, Ávila-Flores R, Suzán G. Is species richness driving intra- and interspecific interactions and temporal activity overlap of a hantavirus host? An experimental test. PLoS One. 2017 Nov 15;12(11):e0188060. doi: 10.1371/journal.pone.0188060.
- 9. Becker EA, Castelli FR, Yohn CN, Spencer L, Marler CA. Species differences in urine scent-marking and countermarking in Peromyscus. Behav Processes. 2018 Jan;146:1-9. doi: 10.1016/j.beproc.2017.10.011
- 10. Stephenson N, Foley J. Parallelisms and Contrasts in the Diverse Ecologies of the Anaplasma phagocytophilum and Borrelia burgdorferi Complexes of Bacteria in the Far Western United States. Vet Sci. 2016 Sep 22;3(4). pii: E26. doi: 10.3390/vetsci3040026.

- 11. Rosshart SP, Vassallo BG, Angeletti D, Hutchinson DS, Morgan AP, Takeda K, Hickman HD, McCulloch JA, Badger JH, Ajami NJ, Trinchieri G, Pardo-Manuel de Villena F, Yewdell JW, Rehermann B. Wild Mouse Gut Microbiota Promotes Host Fitness and Improves Disease Resistance. Cell. 2017 Nov 16;171(5):1015-1028.e13. doi: 10.1016/j.cell.2017.09.016.
- 12. Terry RC. Isotopic niche variation from the Holocene to today reveals minimal partitioning and individualistic dynamics among four sympatric desert mice. J Anim Ecol. 2018 Jan;87(1):173-186. doi: 10.1111/1365-2656.12771. PMID: 29048750
- 13. Harris SE, Munshi-South J. Signatures of positive selection and local adaptation to urbanization in white-footed mice (Peromyscus leucopus). Mol Ecol. 2017 Nov;26(22):6336-6350. 10.1111/mec.14369.
- 14. Berl JL, Kuenzi AJ, Flaherty EA, Swihart R.K. Interspecific Comparison of Hantavirus Prevalence in Peromyscus Populations from a Fragmented Agro-Ecosystem in Indiana. J Wildl Dis. 2017 doi: 10.7589/2017-02-022

Faculty positions

Through the support of our recent NSF EPSCoR award we plan to hire, after 1-2 years, 2 junior faculty members to enhance the Peromyscus-associated research at USC. The formal call for applications is anticipated in 2019. The main theme of the project is to explore the unfolded protein response in outbred models such as Peromyscus. Experienced postdocs or junior faculty interested to joining USC should contact Hippokratis at kiarish@cop.sc.edu.

15. Lehmer EM, Lavengood K, Miller M, Rodgers J, Fenster SD. Evaluating the Impacts of Coinfection on Immune System Function of the Deer Mouse (Peromyscus maniculatus) Using Sin Nombre Virus and Bartonella as Model Pathogen Systems. J Wildl Dis. 2017 Oct 4. doi: 10.7589/2017-01-015.

16. Hyer MM, Khantsis S, Venezia AC, Madison FN, Hallgarth L, Adekola E, Glasper ER. Estrogendependent modifications to hippocampal plasticity in paternal California mice (Peromyscus californicus). Horm Behav. 2017 Nov;96:147-155. doi: 10.1016/j.yhbeh.2017.09.015.

17. Prentice MB, Bowman J, Lalor JL, McKay MM, Thomson LA, Watt CM, McAdam AG, Murray DL, Wilson PJ Signatures of selection in mammalian clock genes with coding trinucleotide repeats: Implications for studying the genomics of high-pace adaptation. Ecol Evol. 2017 Aug 8;7(18):7254-7276. doi: 10.1002/ece3.3223. eCollection 2017 Sep. Erratum in: Ecol Evol. 2017 Nov 08;7(21):9192. PMID: 28944015

18. Tran V, Little MP. Dose and dose rate extrapolation factors for alignant and non-malignant health endpoints after exposure to gamma

Aged P. leucopus

A number of 2-3 years old female P. leucopus is available. Interested investigators that may want to receive them should contact us.

19. LoGiudice K, Kurchena K, Christopher K, Scott N. Exploration of stable isotope analysis for tick host identification. Ticks Tick Borne Dis. 2017 Sep 7. pii: S1877-959X(16)30294-1. doi: 10.1016/j.ttbdis.2017.08.010.

20. Garcia-Elfring A, Barrett RDH, Combs M, Davies TJ, Munshi-South J, Millien V. Admixture on the northern front: population genomics of range expansion in the white-footed mouse (Peromyscus leucopus) and secondary contact with the deer mouse Peromyscus maniculatus). Heredity (Edinb). 2017 Dec;119(6):447-458. doi: 10.1038/hdy.2017.57.

Why Peromyscus from PGSC

PGSC is the only *Peromyscus* Center in the US and indeed the in world

PGSC maintains and can supply truly outbred animals from a number of different species reflecting naturally occurring wild type populations

All animals are pedigreed and can be traced back to the time that the populations had been established in captivity

PGSC Office of Research JM Palms Center for Graduate Research

631 Sumter Street - Suite 102 University of South Carolina Columbia, SC 29208 Phone: (803) 777-3107 or 777-1212

Fax: (803) 576-5780

Email: <u>kaza@mailbox.sc.edu</u> http://www.pgsc.cas.sc.edu

NEWS AND NOTES

NOTICE

Perotimes, the PGSC newsletter is not a formal scientific publication. Therefore, information and data should not be cited or used without permission of the contributor.

PERO-RESEARCHERS

PIs are welcome to indicate
postdocs and graduate students
that recently published on
Peromyscus or defended a Thesis,
in order to promote their work in
Perotimes.

Grant applications

The PGSC will be happy to assist you in your grant proposals by providing quotes that will help you justify your budget as well as letters for the availability of specific stocks.

e-mailing list


If you want to be included in our email list and receive future
Perotimes editions, email Vimala
Kaza at Kaza@mailbox.sc.edu

- 21. Stenger BLS, Horčičková M, Clark ME, Kváč M, Čondlová Š, Khan E, Widmer G, Xiao L, Giddings CW, Pennil C, Stanko M, Sak B, McEvoy JM. Cryptosporidium infecting wild cricetid rodents from the subfamilies Arvicolinae and Neotominae. Parasitology. 2017 Sep 5:1-9. doi: 10.1017/S0031182017001524.
- 22. McClelland GB, Lyons SA, Robertson CE. Fuel Use in Mammals: Conserved Patterns and Evolved Strategies for Aerobic Locomotion and Thermogenesis. Integr Comp Biol. 2017 Aug 1;57(2):231-239. doi: 10.1093/icb/icx075.
- 23. Malo AF, Martinez-Pastor F, Garcia-Gonzalez F, Garde J, Ballou JD, Lacy RC. A father effect explains sex-ratio bias. Proc Biol Sci. 2017 Aug 30;284(1861). pii: 20171159. doi: 10.1098/rspb.2017.1159.
- 24. Tate KB, Ivy CM, Velotta JP, Storz JF, McClelland GB, Cheviron ZA, Scott GR. Circulatory mechanisms underlying adaptive increases in thermogenic capacity in high-altitude deer mice. J Exp Biol. 2017 Oct 15;220(Pt 20):3616-3620. doi: 10.1242/jeb.164491.
- 25. Rodríguez-Rojas JJ, Rodríguez-Moreno Á, Berzunza-Cruz M, Gutiérrez-Granados G, Becker I, Sánchez-Cordero V, Stephens CR, Fernández-Salas I, Rebollar-Téllez EA Ecology of phlebotomine sandflies and putative reservoir hosts of leishmaniasis in a border area in Northeastern Mexico: implications for the risk of transmission of Leishmania mexicana in Mexico and the USA. Parasite. 2017;24:33. doi: 10.1051/parasite/2017034.
- 26. Weinstein SB. Introduced rats and an endemic roundworm: does Rattus rattus contribute to Baylisascaris procyonis transmission in California? J Parasitol. 2017 Jul 21. doi: 10.1645/17-83.

- 27. Blubaugh CK, Widick IV, Kaplan I. Does fear beget fear? Risk-mediated habitat selection triggers predator avoidance at lower trophic levels. Oecologia. 2017 Sep;185(1):1-11. doi: 10.1007/s00442-017-3909-1.
- 28. Milazzo ML, Cajimat MNB, Richter MH, Bradley RD, Fulhorst CF. Muleshoe Virus and Other Hantaviruses Associated with Neotomine or Sigmodontine Rodents in Texas. Vector Borne Zoonotic Dis. 2017 Oct;17(10):720-729. doi: 10.1089/vbz.2017.2108.
- 29. Pritt BS, Allerdice MEJ, Sloan LM, Paddock CD, Munderloh UG, Rikihisa Y, Tajima T, Paskewitz SM, Neitzel DF, Hoang Johnson DK, Schiffman E, Davis JP, Goldsmith CS, Nelson CM, Karpathy SE. Proposal to reclassify Ehrlichia muris as Ehrlichia muris subsp. muris subsp. nov. and description of Ehrlichia muris subsp. eauclairensis subsp. nov., a newly recognized tick-borne pathogen of humans. Int J Syst Evol Microbiol. 2017 Jul;67(7):2121-2126. doi: 10.1099/ijsem.0.001896.
- 30. Snyder-Mackler N, Tung J. Vasopressin and the Neurogenetics of Parental Care. Neuron. 2017 Jul 5;95(1):9-11. doi: 10.1016/j.neuron.2017.06.027.
- 31. Izuogu AO, McNally KL, Harris SE, Youseff BH, Presloid JB, Burlak C, Munshi-South J, Best SM, Taylor RT. Interferon signaling in Peromyscus leucopus confers a potent and specific restriction to vector-borne flaviviruses. PLoS One. 2017 Jun 26;12(6):e0179781. 1371/journal.pone.0179781.
- 32. Kordonowy L, MacManes M. Characterizing the reproductive transcriptomic correlates of acute dehydration in males in the desert-adapted rodent, Peromyscus eremicus. BMC Genomics. 2017 Jun 23;18(1):473. doi: 10.1186/s12864-017-3840-1.

- 33. Ivy CM, Scott GR. Control of breathing and ventilatory acclimatization to hypoxia in deer mice native to high altitudes. Acta Physiol (Oxf). 2017 Dec;221(4):266-282. doi: 10.1111/apha.12912.
- 34. Laman-Maharg AR, Copeland T, Sanchez EO, Campi KL, Trainor BC. The long-term effects of stress and kappa opioid receptor activation on conditioned place aversion in male and female California mice. Behav Brain Res. 2017 Aug 14;332:299-307. doi: 10.1016/j.bbr.2017.06.015.
- 35. Lin Z, Kajigaya S, Feng X, Chen J, Young NS.
 Hematopoietic Aging Biomarkers in <i>Peromyscus leucopus</i> Mice. J Aging Sci. 2017 Apr;5(1). pii: 169. doi: 10.4172/2329-8847.1000169
- 36. Wróbel A, Zwolak R. Deciphering the effects of disperser assemblages and seed mass on patterns of seed dispersal in a rodent community. Integr Zool. 2017
 Nov;12(6):457-467. doi: 10.1111/1749-4877.12265.





Images of *P. californicus* bearing human breast cancers. From Disease Models & Mechanisms 2017 in" Growth of human breast cancers in Peromyscus" by Kaza, Farmaki, , Havighorst, Crossland, Chatzistamou, & Kiaris (In Press)

Aging endeavor

We have been approached by several colleagues regarding the potential availability of aged animals in the PGSC facilities. Unfortunately we cannot maintain aged animals in our facilities due to the cost for their housing. We have approached federal agencies to support us however, such efforts were unsuccessful as yet. Nevertheless, in view of the increased interest in research on aging, the high potential value of Peromyscus and the increasing number of requests we are receiving, we thought to implement a program at which different labs could contribute limited funds in order to generate an account that will allow us to age Peromyscus in our facilities. The cost of the resulting aged animals will be considerably lower from their cost increased by the corresponding per diem and the lab that had contributed to this fund will have warrantied access to the animals. The exact logistics will be determined depending on the feedback we will receive.

- 37. Johnson TL, Graham CB, Hojgaard A, Breuner NE, Maes SE, Boegler KA, Replogle AJ, Kingry LC, Petersen JM, Eisen L, Eisen RJ. Isolation of the Lyme Disease Spirochete Borrelia mayonii From Naturally Infected Rodents in Minnesota. J Med Entomol. 2017 Jul 1;54(4):1088-1092. doi: 10.1093/jme/tjx062.
- 38. Bendesky A, Kwon YM, Lassance JM, Lewarch CL, Yao S, Peterson BK, He MX, Dulac C, Hoekstra HE. The genetic basis of parental care evolution in monogamous mice. Nature. 2017 Apr 27;544(7651):434-439. doi: 10.1038/nature22074. Epub 2017 Apr 19.
- 39. Willoughby JR, Ivy JA, Lacy RC, Doyle JM, DeWoody JA. Inbreeding and selection shape genomic diversity in captive populations: Implications for the conservation of endangered species. PLoS One. 2017 Apr 19;12(4):e0175996. doi: 10.1371/journal.pone.0175996. eCollection 2017.
- 40. Mahalingam S, McClelland GB, Scott GR. Evolved changes in the intracellular distribution and physiology of muscle mitochondria in high-altitude native deer mice. J Physiol. 2017 Jul 15;595(14):4785-4801. doi: 10.1113/JP274130.
- 41. Zhao M, Garland T Jr, Chappell MA, Andrew JR, Saltzman W. Metabolic and affective consequences of fatherhood in male California mice. Physiol Behav. 2017 Aug 1;177:57-67. doi: 10.1016/j.physbeh.2017.04.010.
- 42. André A, Mouton A, Millien V, Michaux J. Liver microbiome of Peromyscus leucopus, a key reservoir host species for emerging infectious diseases in North America. Infect Genet Evol. 2017 Aug;52:10-18. doi: 10.1016/j.meegid.2017.04.011.
- 43. Hyer MM, Glasper ER. Separation increases passive stress-coping behaviors during forced swim and alters hippocampal dendritic morphology in California mice. PLoS One. 2017 Apr 13;12(4):e0175713. doi: 10.1371/journal.pone.0175713.

- 44. Wright EC, Johnson SA, Hao R, Kowalczyk AS, Greenberg GD, Ordoñes Sanchez E, Laman-Maharg A, Trainor BC, Rosenfeld CS. Exposure to extrinsic stressors, social defeat or bisphenol A, eliminates sex differences in DNA methyltransferase expression in the amygdala. J Neuroendocrinol. 2017 Jun;29(6). doi: 10.1111/jne.12475.
- 45. Couret J, Dyer MC, Mather TN, Han S, Tsao JI, Lebrun RA, Ginsberg HS. Acquisition of Borrelia burgdorferi Infection by Larval Ixodes scapularis (Acari: Ixodidae) Associated With Engorgement Measures. J Med Entomol. 2017 Jul 1;54(4):1055-1060. doi: 10.1093/jme/tjx053.
- 46. Kilonzo C, Li X, Vodoz T, Xiao C, Chase JA, Jay-Russell MT, Vivas EJ, Atwill ER. Quantitative Shedding of Multiple Genotypes of Cryptosporidium and Giardia by Deer Mice (Peromyscus maniculatus) in a Major Agricultural Region on the California Central Coast. J Food Prot. 2017 Apr 7:819-828. doi: 10.4315/0362-028X.JFP-16-338.
- 47. MacManes MD. Severe acute dehydration in a desert rodent elicits a transcriptional response that effectively prevents kidney injury. Am J Physiol Renal Physiol. 2017 Aug 1;313(2):F262-F272. doi: 10.1152/ajprenal.00067.2017.
- 48. Inoguchi N, Mizuno N, Baba S, Kumasaka T, Natarajan C, Storz JF, Moriyama H. Alteration of the α 1 β 2/ α 2 β 1 subunit interface contributes to the increased hemoglobin-oxygen affinity of high-altitude deer mice. PLoS One. 2017 Mar 31;12(3):e0174921. doi: 10.1371/journal.pone.017492 eCollection 2017.
- 49. Yohn CN, Leithead AB, Becker EA. Increased vasopressin expression in the BNST accompanies paternally induced territoriality in male and female California mouse offspring. Horm Behav. 2017 Jul;93:9-17. doi: 10.1016/j.yhbeh.2017.03.008.
- 50. Hill RW Benign neonatal deep hypothermia in rodents and its relations to hibernation. J Comp Physiol B. 2017 Jul;187(5-6):705-713. doi: 10.1007/s00360-017-1070-0.

- 51. Ceradini JP, Chalfoun AD. When perception reflects reality: Non-native grass invasion alters small mammal risk landscapes and survival. Ecol Evol. 2017 Feb 15;7(6):1823-1835. doi: 10.1002/ece3.2785.
- 52. Kordonowy L, Lombardo KD, Green HL, Dawson MD, Bolton EA, LaCourse S, MacManes MD. Physiological and biochemical changes associated with acute experimental dehydration in the desert adapted mouse, <i>Peromyscus eremicus</i>Physiol Rep. 2017 Mar;5(6). pii: e13218. doi: 10.14814/phy2.13218.
- 53. Pardini EA, Patten MV, Knight TM. Effects of seed density and proximity to refuge habitat on seed predation rates for a rare and a common Lupinus species. Am J Bot. 2017 Mar;104(3):389-398. doi: 10.3732/ajb.1600290.
- 54. Ceradini JP, Chalfoun AD. Species' traits help predict small mammal responses to habitat homogenization by an invasive grass. Ecol Appl. 2017

USER FEES

A small increase in the user fees will be implemented as of 1/1/18. Considering the size for the majority of the orders we receive, such increase in the cost of animals will have an impact of about \$100-\$200 per order in total. This minimal increase will allow maintenance of a critical number of breeders for each stock to attain their genetic diversity. In addition, these funds will be used to offset part of the cost for ongoing genomic studies to confirm the genetic diversity of the animals maintained.

Orders made and quotes provided as of today will be honored at the cost provided at that time.



From the Holiday Luncheon Cruise of the Office of the VP for Research. Professor Nagarkatti (VP for Research at USC) is in the middle row at the center, 6th from left; Hippokratis is in the last raw, 5th from left; Vimala is in the first raw, 2nd from left; Dr Shayne Barlow DVM is in the last raw, 10th from left.

Peromyscus Genetic Stock Center

Hippokratis Kiaris PhD Director Shayne Barlow DVM, PhD, DACLAM Director of Animal Resources and Attending Veterinarian Ioulia Chatzistamou MD, PhD, Pathologist, Director of Histopathology Service Vimala Kaza MSc, Colony Manager Amanda Havighorst, Graduate student

Advisory Committee

Spyros Artavanis – Tsakonas, Harvard Medical School John M. Cullen, North Carolina State University Lisa Krugner-Higby, University of Wisconsin – Madison David W. Threadgill, Texas A&M University S. Randal Voss, University of Kentucky